

Daclatasvir Tablet 60 mg

Product Information :

Pharmaceutical form : Tablet

Category : Prescription Medicine

Pack : 1x10/Tabs

Brand name : Daclatasvir

Content : Daclatasvir (60mg)

Therapeutic Use : Chronic hepatitis C virus (HCV) infection



Product Description :

What is Daclatasvir Tablet 60 mg?

Daclatasvir Tablet 60 mg is used with other antiviral medicines (such as sofosbuvir) in the treatment of chronic and long-lasting hepatitis C (viral infection of the liver). Without sofosbuvir, daclatasvir should never ever be taken. Daclatasvir and

[sofosbuvir](#)

can also be used in combination with other antiviral drugs (such as ribavirin). These drugs work together to reduce the levels of hepatitis C virus in the human body, which aids your immune system's battle against the infection and may aid liver recovery. Hepatitis C infection can lead to major liver disorders like scarring (cirrhosis) and malignancy. It's unclear whether this treatment will keep you from spreading the illness to others.

How to Use Daclatasvir

- Before you begin taking daclatasvir, read the Patient Information Leaflet.
- Use this medicine by mouth once a day both with and without food, as instructed by your

doctor.

- The dosage is determined by your health condition, treatment outcomes, and any other medicines you're taking. Make a list of all the products you use and give it to your doctor (prescribed, nonprescribed, and herbal).
- When the level of medicine in your body is kept steady, this treatment works best. Use this medication at regular intervals. Consume it at the same time every day to help you remember.
- Even if your symptoms go away after a short period of treatment, keep taking daclatasvir and other preventive medications for the full duration of time indicated.

Precaution - Daclatasvir Tablet 60 mg

- Inform your doctor if you are sensitive to daclatasvir or if you have other allergies before getting it. Inactive components may be included in this product, causing adverse reactions or other issues.
- Inform your doctor about your health history, especially if you have kidney problems, other liver disorders (hepatitis B), or diabetes before using this drug.
- If you already have diabetes, hepatitis C treatment may help lower your blood sugar. As a result, your doctor may change your diabetes medication plan to reduce your chance of low blood sugar. If you suffer signs of low blood sugar, such as abrupt perspiration, shaking, irregular heartbeats, hunger, vision problems, dizziness, or tingling hands/feet, call your doctor immediately.
- Daclatasvir Tablet 60 mg should only be taken when absolutely essential during pregnancy. Consult your doctor about the dangers and advantages.
- It's unclear whether daclatasvir travels via breast milk. Before you start breastfeeding, talk to your doctor. If daclatasvir is combined with ribavirin, breastfeeding is not suggested.

Side Effects for Daclatasvir

The majorities of side effects are minor and will go away as your body adapts to the medication. If they don't go away or you're worried, consult your doctor.

- Tiredness, headaches, nausea, and diarrhoea are all possible side effects. Inform Tell your doctor immediately if any of these side effects persist or worsen.
- Remember that your doctor provided Daclatasvir Tablet 60 mg because he or she believes the advantage to you exceeds the risk of adverse effects. The majority of people who take this medicine do not have any substantial adverse effects.
- This medicine rarely causes a severe allergic reaction. However, if you detect any symptoms of a major allergic response, such as a rash, itching/swelling, extreme dizziness, or problems breathing, seek medical treatment immediately.

Tips for using Daclatasvir Tablet

- Daclatasvir is a drug that is used in combination with other drugs to treat chronic hepatitis C virus infection.
- Even if you feel good, do not miss any dose of Daclatasvir Tablet 60 mg and complete the entire course of treatment.
- When compared to other conventional treatments, it has fewer negative effects.
- Take it with food and then at the same time every day if possible.
- This medicine will normally need to be taken every day for 12 to 24 weeks.
- Fatigue, dizziness, and vision problems are all possible side effects. Don't drive or do anything else that requires attention until you have a better understanding of how it affects you.
- Your liver functionality and the presence of the hepatitis C virus in your body may be monitored by your doctor on a regular basis.
- Do not discontinue taking Daclatasvir without consulting your doctor.

Daclatasvir Tablet 60 mg Supplier

Healthiza is one of the leading Daclatasvir Tablet 60 mg supplier and manufacturer, offering the best quality medicine globally through a validated cold chain secure shipment process. We use this process to manufacture, store and deliver medicines at a very specific temperature. Customers can avail of this premium quality pharma product at an affordable

price from us.



GET IN TOUCH
HEALTHIZA LIFESCIENCE PVT LTD

EMAIL : info@healthizalife.com | sales@healthizalife.com

PHONE : +91- 93289 40307

ADDRESS : A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

WEBSITE : www.healthizalife.com