

# Metronidazole Tablet 500 mg

## Product Information :

---

**Pharmaceutical form :** Tablet

**Category :** Prescription Medicine

**Pack :** 1x10/Tabs

**Brand name :** Metronidazole

**Content :** Metronidazole 500 mg

**Therapeutic Use :** To treat infections of the reproductive system, gastrointestinal (GI) tract, skin, heart, bone, joint, lung, blood, nervous system, and other areas of the body



## Product Description :

---

### What is Metronidazole Tablet 500 mg?

Metronidazole Tablet 500 mg is used in the treatment of infections of the reproductive system such as the GI tract, skin, heart, bone, joint, lung, blood, nervous system, and other body parts. Medicines containing metronidazole are also used in the treatment of sexually transmitted infections (STDs). In women, metronidazole extended-release (long-acting) pills are used to treat bacterial vaginosis (a vaginal infection caused by too many dangerous bacteria). Metronidazole belongs to the nitroimidazole antimicrobials class of drugs. It works by preventing bacteria from growing.

### How to Use Metronidazole

- Metronidazole is available as a tablet, an extended-release tablet, and a capsule for oral use. Metronidazole capsules and pills are often taken once (or twice on the same day) or 2 to 4 times daily for up to ten days or more.
- Metronidazole extended-release pills are normally given once daily for seven days, at least one hour before or after food. Carefully follow the advice on your medication label.

Metronidazole should be taken exactly as prescribed.

- Do not break, chew, or crush the extended-release pills; they must be swallowed whole.
- Even if you are feeling good, keep taking Metronidazole Tablet 500 mg. Do not avoid taking it without first consulting your doctor.
- Your infection may not be entirely healed if you stop taking this drug too soon or skip doses, and the germs may become antibiotic-resistant.
- Women's bacterial vaginosis is also treated with metronidazole tablets.

#### **Precaution - Metronidazole Tablet 500 mg**

- If you're sensitive to metronidazole, secnidazole, tinidazole, other drugs, or any of the chemicals in metronidazole preparations, notify your doctor.
- If you are using or have taken disulfiram, notify your doctor. If you are on or have recently taken disulfiram, your doctor may advise you not to take metronidazole.
- Inform your doctor about any prescription, OTC products, vitamin, nutraceutical, or herbal products you're taking or planning to use.
- If you have or have had Crohn's disease, blood, kidney, or liver problems, notify your doctor.
- If you have a pregnancy, planning to become pregnant, or breastfeeding, notify your doctor. Call your doctor when you become pregnant during taking metronidazole. Metronidazole should not be taken by pregnant women during the 1st trimester (the first three months of pregnancy).
- While using Metronidazole Tablet 500 mg and for at least three days following your last dose, avoid drinking alcoholic beverages or using anything containing alcohol or propylene glycol.

#### **Benefits of Metronidazole**

##### **In Bacterial infections Treatment**

Metronidazole Tablet is a multipurpose antibiotic that can be used in the treatment of a variety of bacterial illnesses. Infections affecting the blood, brain, lungs, bones, joints, urinary

tract, stomach, and intestines are among the most common. It can also be used in the treatment of leg ulcers, pressure sores, gum ulcers and other oral diseases (abscesses). It works by preventing the infection-causing germs from growing. This drug usually works immediately to make you feel better. Even if you feel better, you should continue taking it for as long as it is advised to ensure that all germs are eliminated and that resistance does not develop.

#### **In Parasitic infections Treatment**

Metronidazole Tablet 500 mg is an antibiotic that aids in the treatment of a variety of parasitic illnesses, including amoebic dysentery. It works by preventing the infection-causing parasites from growing. This drug usually works immediately to make you feel better. Even if you feel better, you should keep taking it for as long as it is suggested to ensure that all parasites are destroyed and that you do not get resistant. While this medication is generally safe to take while pregnant or breastfeeding, you should consult your doctor first.

#### **Side Effects of Metronidazole**

The majorities of side effects are minor and will go away as your body adapts to the medication. If they don't go away or you're worried about them, see your doctor.

- It is possible that you will experience dizziness, headaches, stomach trouble, nausea, vomiting, lack of appetite, diarrhoea, constipation, or a metallic taste in your mouth. Inform your doctor immediately if any of these side effects persist or worsen.
- Your urine may darken as a result of this drug. This is a mild side effect that will go away once the drug is stopped.
- Remember that your doctor provided Metronidazole Tablet 500 mg because he or she believes the advantage to you exceeds the risk of adverse effects. The majority of people who take this medicine do not have any substantial adverse effects.
- If you experience any serious side effects, such as signs of a new infection (such as a persistent sore throat, or fever), easy bleeding, stomach/abdominal pain, or painful urination, contact your doctor immediately.
- Use of this drug for an extended period of time or on a regular basis may cause oral thrush or a new fungal infection. If you see white patches in your mouth, a change in vaginal fluid, or other new symptoms, consult your doctor.

#### **Some Tips for Metronidazole Tablet**

- Metronidazole Tablet 500 mg is used to treat bacterial and parasitic diseases.
- Nausea, stomach trouble, and a metallic taste in the mouth are all possible adverse effects.
- When Metronidazole Tablet is taken in large doses or for an extended period of time, it raises the chance of adverse effects such as nerve damage. Only take it as directed by your doctor.
- Do not consume alcohol while taking this medicine or for the next 2-3 days afterwards. Nausea, vomiting, flushing, and headache are all possible side effects.
- If you have liver disease, tell your doctor. He will adjust your doses.

#### **Metronidazole Tablet 500 mg Supplier**

Healthiza is one of the leading Metronidazole Tablet 500 mg supplier and manufacturer, offering the best quality medicine globally through a validated cold chain secure shipment process. We use this process to manufacture, store and deliver medicines at a very specific

temperature. Customers can avail of this premium quality pharma product at an affordable price from us.



**GET IN TOUCH**  
**HEALTHIZA LIFESCIENCE PVT LTD**

**EMAIL :** [info@healthizalife.com](mailto:info@healthizalife.com) | [sales@healthizalife.com](mailto:sales@healthizalife.com)

**PHONE :** +91- 93289 40307

**ADDRESS :** A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

**WEBSITE :** [www.healthizalife.com](http://www.healthizalife.com)