

Sildenafil Citrate Tablet 50 mg

Product Information :

Pharmaceutical form : Tablet


Category : Prescription Medicine

Pack : 10x1x4 Tablets

Brand name : Sildenafil Citrate Tablet

Content : Sildenafil Citrate Tablet 50 mg

Therapeutic Use : To treat male sexual function problems (impotence or erectile dysfunction-ED)



Product Description :

What is Sildenafil Citrate Tablet 50 mg?

Sildenafil Citrate Tablet 50 mg is a prescription medication that helps men with erectile dysfunction (the inability to get or maintain an erection). Sildenafil belongs to the phosphodiesterase (PDE) inhibitor class of drugs. It improves the circulation of blood during sexual stimulation, which helps to treat erectile dysfunction. An erection may result from increased blood flow. If you're using sildenafil tablet for the treatment of erectile dysfunction, keep in mind that it won't cure it or make you more sexually motivated. This medicine is not for women, and men should not take any other medications for the treatment of impotence without first consulting a doctor.

How to Use Sildenafil Tablet

- Follow your doctor's instructions and the guidelines if you're getting sildenafil for the treatment of erectile dysfunction. Before the sexual activity, take Sildenafil Citrate Tablet 50 mg as needed.
- The optimal time for taking sildenafil is around an hr before sexual activity, although you

can take it anywhere between 4 hours and 30 minutes before.

- Sildenafil should normally only be taken once per 24 hours. Your doctor may suggest taking sildenafil tablets less frequently if you have some health conditions or are using certain drugs.
- It can be taken both with and without food. If you use sildenafil with a high-fat meal, the medicine will take longer to start working. Carefully follow the advice on your medication label.
- If you're getting sildenafil for erectile dysfunction, your doctor will likely start you on a low dose and gradually increase or decrease it based on your response to the drug.

Precaution - Sildenafil Citrate Tablet 50 mg

- If you have an allergy to sildenafil, any other drugs, or any of the substances in sildenafil tablets, tell your doctor.
- If you're taking or have recently taken riociguat or nitrates (chest pain drugs) like isosorbide dinitrate, isosorbide mononitrate, or nitroglycerin, don't take sildenafil.
- Talk to your doctor or dentist that you are getting sildenafil if you are getting surgery, including dental surgery.
- Tell your doctor about any prescription and over-the-counter drugs, vitamins, and nutraceuticals you're taking or planning to take. Your doctor will need to adjust your prescription dosages or keep a close eye on you for adverse effects. Many other medications may interact with sildenafil tablets, so make sure to notify about all of your current medications.
- If you smoke or have lately lost a considerable amount of body fluids, tell your doctor (dehydration). If you have a fever, diarrhoea, or vomiting. Inform your doctor if you have or have ever had a stomach ulcer; heart, kidney, or liver problems; a heart attack; a rapid heart rate; a stroke; chest pain; high or low blood pressure; high cholesterol; or any other medical condition.
- If you're using sildenafil tablet for the treatment of erectile dysfunction, let your doctor know if you've ever been told by a doctor to limit sexual activity for medical reasons or if you've ever had chest pain while doing so. Sexual activity, especially if you have heart

problems, can put a burden on your heart.

- Inform all of your medical professionals that you are getting a sildenafil tablet. If you ever require emergency medical care for a heart problem, the doctors will need to verify when you last got sildenafil.

Benefits of Sildenafil Citrate Tablet

Erectile Dysfunction (ED) Treatment

Sildenafil Citrate Tablet 50 mg belongs to a group of medication classes called PDE5 inhibitors. It helps to relax your penis' blood vessels. When sexually aroused, this increases the blood flow into the penis and causes an erection. If you are sexually excited, this drug will simply assist you to acquire an erection. It works well, but it must be taken nearly 30 minutes before any sexual activity.

Side Effects of Sildenafil Tablet

The majorities of side effects are minor and will go away as your body adapts to the medication. If they don't go away or you're worried about them, see your doctor.

- Dizziness, headaches, flushing, and stomach discomfort are all possible side effects. High sensitivity to light, vision problems, or difficulty distinguishing blue and green colours are all possible vision abnormalities.
- When rising gently from a sitting or laying posture, you can limit the danger of dizziness and lightheadedness.
- Remember that your doctor recommended Sildenafil Citrate Tablet 50 mg because he or she believes the advantage to you exceeds the risk of adverse effects. Many persons who use this medicine have no major adverse effects.
- Sexual activity can put your heart under additional strain, especially if you already have cardiac problems. If you have a heart problem and develop any of the following dangerous adverse effects while having sex, stop immediately and seek medical attention: such as extreme dizziness, fainting, chest/jaw/left arm discomfort, and nausea.
- If you experience a painful or protracted erection that lasts 4 hours or longer, cease using this drug immediately and seek medical attention, because serious complications may result.

Some Tips for Sildenafil

- For the treatment of erectile dysfunction, you've been recommended Sildenafil Citrate Tablet 50 mg.
- It's better if you take it an hr before sexual activity. It can, however, be taken somewhere between 30 minutes and 4 hours prior to sexual activity.
- Take it no more than once per day.
- If the erection lasts longer than 4 hours following sexual activity, seek medical help.
- If you've recently taken nitrates, don't take Sildenafil Citrate 50mg Tablet (medicines used for the treatment of angina or chest pain).
- If you've had a heart attack in the last three months, or a stroke or heart failure in the last six months, don't take it.

Sildenafil Citrate Tablet 50 mg Supplier

Healthiza is one of the leading Sildenafil Citrate Tablet 50 mg supplier and manufacturer, offering the best quality medicine globally through a validated cold chain secure shipment process. We use this process to manufacture, store and deliver medicines at a very specific temperature. Customers can avail of this premium quality pharma product at an affordable price from us.



GET IN TOUCH HEALTHIZA LIFESCIENCE PVT LTD

EMAIL : info@healthizalife.com | sales@healthizalife.com

PHONE : +91- 93289 40307

ADDRESS : A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

WEBSITE : www.healthizalife.com