

Sofosbuvir & Valpatasvir Tablet 400+100 mg

Product Information :

Pharmaceutical form : Tablet

Category : Prescription Medicine

Pack : Pack of 28 Tablets

Brand name : Sofosbuvir 400 mg & Valpatasvir 100 mg

Content : Sofosbuvir & Valpatasvir Tablets 400+100 mg

Therapeutic Use : To treat chronic (long-lasting) hepatitis C, a viral infection of the liver.



Product Description :

What is Sofosbuvir & Valpatasvir Tablet?

Sofosbuvir & Valpatasvir Tablet is a combination medicine used alone or with ribavirin in the treatment of chronic hepatitis C (an ongoing viral infection that affects the liver) in adults and children 6 years of age and more or who weigh at least 17 kg.

How to Use

- Sofosbuvir and velpatasvir are available as a tablet to consume by mouth. It is normally taken once a day, with or without food, for 12 weeks.
- Every day, use Sofosbuvir & Valpatasvir Tablet at the same time. Take sofosbuvir and velpatasvir exactly as stated on your prescription label.
- Even if you feel fine, keep taking sofosbuvir and velpatasvir. Without consulting your doctor, do not discontinue taking it.

Precaution - Sofosbuvir & Valpatasvir Tablet

- If you have an allergy to sofosbuvir, velpatasvir, any other medicines, or any of the components in Sofosbuvir & Velpatasvir Tablet, inform your doctor immediately.
- Tell your doctor about any prescription or over-the-counter drugs, vitamins, or nutraceuticals you're taking or planning to use. Your doctor will need to adjust your prescription dosages or keep a close eye on you for adverse effects.
- If you take antacids, do so 4 hours before or after taking it.
- If you're using cimetidine, ranitidine, famotidine, or nizatidine for indigestion, heartburn, or ulcers, notify your doctor. This drug may be taken 12 hours before or after sofosbuvir and velpatasvir, or at the same time depending on your doctor's instructions.
- If you have the human immunodeficiency virus (HIV) or if you have or have had any form of liver disease other than hepatitis C, tell your doctor.
- If you have a pregnancy, planning to become pregnant, or breastfeeding tells your doctor. Call your doctor when you become pregnant during taking sofosbuvir & Velpatasvir Tablet.

How it Works

- Sofosbuvir + Velpatasvir is a treatment that combines two antiviral drugs: Sofosbuvir and Velpatasvir.
- Sofosbuvir belongs to the nucleotide hepatitis C virus (HCV) NS5B polymerase inhibitors class of antivirals.
- Velpatasvir belongs to the HCV NS5A replication group inhibitors class of antiviral drugs.
- The drugs sofosbuvir and velpatasvir work together to prevent the hepatitis C virus from spreading inside the body.
- They act by decreasing the quantity of hepatitis C virus in the body and gradually clearing the infection from the blood.

Side Effect - Sofosbuvir and Velpatasvir

The majorities of side effects are minor and will go away as your body adapts to the medication. If they don't go away or you're worried about them, see your doctor.

- Tiredness, headaches, nausea, diarrhoea, and difficulties sleeping are all possible side effects. Tell your doctor immediately if any of these side effects persist or worsen.
- Remember that your doctor recommended this medication because he or she believes the advantage to you exceeds the risk of adverse effects. Many persons who use this medicine have no major adverse effects.
- If you have any major side effects, such as mental/mood disorders (such as depression), or unusual exhaustion, contact your doctor straight once.

Some Tips for Using

- The combination of Sofosbuvir & Valpatasvir Tablet is used to treat chronic hepatitis C virus (HCV) infection.
- Take it with food every day, probably at the same time.
- This medicine will normally need to be taken every day for 12 to 24 weeks.
- The likelihood of treatment failure increases when doses are missed. Make sure you take all of your medications on schedule.
- Fatigue, dizziness, and vision problems are all possible side effects. Don't drive or do anything else that requires attention until you have a better understanding of how it affects you.
- Headaches may occur when taking Sofosbuvir and Velpatasvir together. Take a pain reliever and drink plenty of water. If the problem persists, contact your doctor.
- Your liver function and the amount of hepatitis C virus in your body may be regularly monitored by your doctor.



GET IN TOUCH HEALTHIZA LIFESCIENCE PVT LTD

EMAIL : info@healthizalife.com | sales@healthizalife.com

PHONE : +91- 93289 40307

ADDRESS : A-907, Signature II, Sarkhej 382210 Ahmedabad, India.

WEBSITE : www.healthizalife.com